

AI2700

Optical Fiber Series



Features

- Cables for CONET1/CONET2 Optical link
- Multimode 62.5/125µm cables
- LC connectors on both sides

Description

AI2700 series are multimode 62.5/125µm cables with LC connectors on both sides used in CONET1/CONET2 Optical Link Networks.

various types of cables are available:

- Simplex type (2 LC Simplex connectors):
 - length: 30cm, 5m, 20m, 30m, 40m
- Duplex type (1 LC Duplex + 2 LC Simplex):
 - length: 5m, 20m, 30m, 40m

Ordering Options

Code	Description	
WAI2703XAAAA	AI2703 - Optical Fibre 30cm. simplex	RoHS
WAI2705XAAAA	AI2705 - Optical Fibre 5 m. simplex	RoHS
WAI2720XAAAA	AI2720 - Optical Fibre 20 m. simplex	RoHS
WAI2730XAAAA	AI2730 - Optical Fibre 30 m. simplex	RoHS
WAI2740XAAAA	AI2740 - Optical Fibre 40 m. simplex	RoHS
WAY2705XAAAA	AY2705 - Optical Fibre 5 m.duplex (Rohs compliant)	RoHS
WAY2720XAAAA	AY2720 - Optical Fibre 20 m. duplex	RoHS
WAY2730XAAAA	AY2730 - Optical Fibre 30 m. duplex	RoHS

Related Products

N6740



32 Channel 12bit 62.5 MS/s Digitizer

A3818



PCI Express CONET2 Controller

VX1742



32+2 Channel 12bit 5 GS/s Switched Capacitor Digitizer

DT5742



16+1 Channel 12 bit 5 GS/s Switched Capacitor Digitizer

V1751



4/8 Input Channel 10 bit 2/1 GS/s Digitizer

V2718



VME-PCI Optical Link Bridge

N6761



1 Channel 10 bit 4 GS/s Digitizer

V1742



32+2 Channel 12bit 5 GS/s Switched Capacitor Digitizer

VX1751



4/8 Input Channel 10 bit 2/1 GS/s Digitizer

V1720



8 Input Channel 12bit 250 MS/s Digitizer

VX2718



VME-PCI Optical Link Bridge

DT5751



2/4 Input Channel 10 bit 2/1 GS/s Digitizer

VX1720



8 Input Channel 12bit 250 MS/s Digitizer

N6720



4 Channel 12 bit 250 MS/s Digitizer

N6724



2/4 Channel 14 bit 100 MS/s Digitizer

V1761



2 Input Channel 10 bit 4GS/s Digitizer

VX1761



2 Input Channel 10 bit 4GS/s Digitizer

V1724



8 Input Channel 14 bit 100 MS/s Digitizer

VX1740



64 Input Channel 12bit 62.5 MS/s Digitizer

DT5761



1 Input Channel 10 bit 4 GS/s Digitizer

N6742



16+1 Channel 12bit 5 GS/s Switched Capacitor Digitizer

DT5740



32 Input Channel 12 bit 62.5MS/s Digitizer

DT5724



4/2 Input Channel 14 bit 100 MS/s Digitizer

DT5720



4/2 Input Channel 12bit 250 MS/s Digitizer

A2818



PCI CONET Controller

This document, or parts thereof, may not be reproduced in any form or by any means without written permission from Caen S.p.A. Although every effort has been made to ensure the accuracy of information presented in this catalog, Caen S.p.A reserves the right to modify its products specifications without giving any notice; for up to date information please visit www.caen.it © Caen S.p.A - 2024

CAEN S.p.A.

Via Vetraia 11
55049 - Viareggio
Italy

Phone +39.0584.388.398

Fax +39.0584.388.959

info@caen.it

www.caen.it

CAEN GmbH

Brunnenweg 9
64331 Weiterstadt, Germany

Phone +49 (0)212.254.4077

Mobile +49 (0)151.16.548.484

info@caen-de.com

www.caen-de.com

CAEN Technologies, Inc.

1 Edgewater Street - Suite 101
Staten Island, NY 10305
USA

Phone +1.718.981.0401

Fax +1.718.556.9185

info@caentechnologies.com

www.caentechnologies.com

CAENspa India Private Limited

B205, BLDG42, B Wing,
Azad Nagar Sangam CHS,
Mhada Layout, Azad Nagar, Andheri West
Mumbai, Maharashtra 400053, India

info@caen-india.in

www.caen-india.in

