


# VERYFUEL

## Liquid Scintillator Based, Fast Neutron Detector for Fresh Fuel



## Features



- Fits the profile of the fuel assemblies for PWR and WWER1000 reactors.
- Detector assembly and DAQ system with modular digital electronics, embedded PC and data processing software included
- 12 cells of EJ-309 liquid scintillator arranged on three detection panels biased by individual HV channels and read out by individual flash ADC
- Collects neutron coincidences from induced nuclear reactions at much higher rate compared to presently available systems detecting thermal neutrons
- Statistical uncertainty on the  $^{235}\text{U}$  enrichment in  $17\times 17$  PWR lower than 1% with 15 min acquisition time
- Measure weakly effected by burnable poisons rods
- Easy set-up of the instrument in-field with minimal cabling and connection complexity
- Collect, transfer and store raw data including waveforms, cell number/address and time stamps

## Description

The VeryFuel is an Non Destructive Assay (NDA) tool for verification of modern fresh fuel assemblies. The VeryFuel has the capability to measure the  $^{235}\text{U}$  content per unit of length with unprecedented speed and much lower systematic uncertainty in presence of burnable poisons. The detectors and data analysis was developed by the IAEA and Member States Support Programs.

The VeryFuel utilises low-hazard liquid scintillation detectors and an integrated data acquisition system to measure coincident fast neutrons from induced nuclear fissions. The standard geometric configuration fits the profile of the fuel assemblies for PWR and WWER1000 reactors.

CAEN SyS provided the VeryFuel to the International Atomic Energy Agency (IAEA) as the Fast Neutron Collar (FNCL) and its user requirements have been defined in the safeguards operational divisions.

The reduced coincidence gate and low accidental neutron coincidences allow the operator to employ high activity neutron source for active interrogation. Subsequently, measurement times for the same level of precision can be greatly reduced.

The VeryFuel comprises a detector assembly and a DAQ system with modular digital electronics, embedded PC and data processing software.

The detectors and data analysis was developed by the IAEA and Member States Support Programs. The software allows the user to configure the data acquisition through an intuitive graphical user interface and shows the result of the real time data processing.

## Ordering Options

Code	Description	
WSD7750DXA12	SD7750D - VeryFuel 12ch FNCL Data Acquisition System	RoHS



**This document, or parts thereof, may not be reproduced in any form or by any means without written permission from Caen S.p.A. Although every effort has been made to ensure the accuracy of information presented in this catalog, Caen S.p.A reserves the right to modify its products specifications without giving any notice; for up to date information please visit [www.caen.it](http://www.caen.it) © Caen S.p.A - 2024**

**CAEN S.p.A.**

Via Vetraia 11  
55049 - Viareggio  
Italy

**Phone +39.0584.388.398**

**Fax +39.0584.388.959**

**info@caen.it**

**www.caen.it**

**CAEN GmbH**

Brunnenweg 9  
64331 Weiterstadt, Germany

**Phone +49 (0)212.254.4077**

**Mobile +49 (0)151.16.548.484**

**info@caen-de.com**

**www.caen-de.com**

**CAEN Technologies, Inc.**

1 Edgewater Street - Suite 101  
Staten Island, NY 10305  
USA

**Phone +1.718.981.0401**

**Fax +1.718.556.9185**

**info@caentechnologies.com**

**www.caentechnologies.com**

**CAENspa India Private Limited**

B205, BLDG42, B Wing,  
Azad Nagar Sangam CHS,  
Mhada Layout, Azad Nagar, Andheri West  
Mumbai, Maharashtra 400053, India

**info@caen-india.in**

**www.caen-india.in**

